

Voorraadlijst 14-09-2023 14:57:38

ID:	Farmacon:	Nr.:	Lot nr.:	Act (MBq):	Volume:	Expireert:
158369	Generator Mo99/Tc99m	1	71127/178	11025,04	1 gen(en)	20-09-2023 06:00
158560	Generator Mo99/Tc99m	1	71131/534	40292,23	1 gen(en)	24-09-2023 06:00
158594	Generator Mo99/Tc99m	1	71235/182	64368,95	1 gen(en)	27-09-2023 06:00
158685	Generator Mo99/Tc99m	1	71237/053	71036,34	1 gen(en)	29-09-2023 06:00
158642	Tc-99m pertechnetaat (Eluaat)	2	1158594	226,62	1,86 ml	13-09-2023 15:49
158643	Tc-99m pertechnetaat (Eluaat)	2	1158560	246,82	2,38 ml	13-09-2023 15:51
158665	Tc-99m pertechnetaat (Eluaat)	2	1158594	302,59	3,52 ml	13-09-2023 20:12
158677	Tc-99m pertechnetaat (Eluaat)	2	1158369	454,29	10,00 ml	13-09-2023 21:48
158680	Tc-99m pertechnetaat (Eluaat)	2	1158469	754,74	10,00 ml	14-09-2023 02:03
158686	Tc-99m pertechnetaat (Eluaat)	2	1158594	1980,36	1,33 ml	14-09-2023 15:49
158688	Tc-99m pertechnetaat (Eluaat)	2	1158685	4370,72	2,56 ml	14-09-2023 15:58
158705	Tc-99m pertechnetaat (Eluaat)	2	1158685	7279,30	5,42 ml	14-09-2023 20:18
158641	I-123 joflupaan (Datscan)	11	16528702	26,98	1,05 ml	13-09-2023 12:00
158678	F-18 fludeoxyglucose (FDG)	21	23J13S3	0,03	1,53 ml	13-09-2023 18:00
158702	F-18 fludeoxyglucose (FDG)	21	23J14S1	12,71	0,33 ml	14-09-2023 14:00
158703	F-18 fludeoxyglucose (FDG)	21	23J14S1	116,76	3,05 ml	14-09-2023 14:00
158711	F-18 fludeoxyglucose (FDG)	21	23J14S3	131,83	0,76 ml	14-09-2023 18:00
158712	F-18 fludeoxyglucose (FDG)	21	23J14S3	425,41	2,45 ml	14-09-2023 18:00
158561	In-111 oxine	36	71096	21,27	0,56 ml	15-09-2023 18:00
157909	Ra-223 chloride (Xofigo)	75	ET12192AX/ET12188B	0,58	3,07 ml	18-09-2023 18:00
158639	Ra-223 chloride (Xofigo) Trial	76	C00543A	5,80	6,00 ml	18-09-2023 18:00
158640	Ra-223 chloride (Xofigo) Trial	76	C00543A	5,80	6,00 ml	18-09-2023 18:00
156292	TechneScan HDP kit (oxidronaat)	102	402966		44 vial(s)	02-05-2025 23:59
158513	TechneScan HDP kit (oxidronaat)	102	403565		150 vial(s)	19-05-2025 23:59
154416	Myoview kit (tetrofosmine)	106	16222920		1 vial(s)	27-10-2023 23:59
158176	Myoview kit (tetrofosmine)	106	16409491		115 vial(s)	08-12-2023 23:59
158360	Vasculocis kit (HSA)	107	T001D		100 vial(s)	28-02-2024 23:59
156863	TechneScan MAG3 kit (mertiatide)	109	402704		62 vial(s)	21-04-2024 23:59
158511	TechneScan MAG3 kit (mertiatide)	109	402704		75 vial(s)	21-04-2024 23:59
155944	TechneScan DMSA kit (succimer)	112	400401		3 vial(s)	09-12-2023 23:59
158510	TechneScan DMSA kit (succimer)	112	400401		75 vial(s)	09-12-2023 23:59
156862	TechneScan PYP kit (pyrofosfaat)	115	403768		65 vial(s)	06-06-2024 23:59
156783	HMPAO kit (ceretec)	116	18318939		15 vial(s)	22-03-2024 23:59
154415	TechneScan Ultratagkit (bloedcellabeling)	124	402385		4 vial(s)	23-11-2023 23:59
157208	Stamicis kit (sestamibi)	131	T001FA		61 vial(s)	05-01-2024 23:59
157875	Stamicis kit (sestamibi)	131	T001F		1 vial(s)	05-01-2024 23:59
151419	VERDYE 25 mg	138	25NL13601		7 vial(s)	31-10-2026 23:59
157860	VERDYE 25 mg	138	25NL15701		139 vial(s)	30-09-2027 23:59
156396	NanoScan kit (nanocolloid)	142	NS-230203-2		45 vial(s)	18-08-2024 23:59
158631	NanoScan kit (nanocolloid)	142	NS-230509-1		300 vial(s)	27-11-2024 23:59
156619	Bromo-Biliaron kit (mefrofenine)	145	BRIDA-230201		7 vial(s)	22-02-2024 10:24
155887	Pulmocis kit (MAA)	164	T008EA		42 vial(s)	28-02-2024 23:59
157209	Pulmocis kit (MAA)	164	T010DA		1 vial(s)	08-06-2024 23:59
158363	Pulmocis kit (MAA)	164	T012B		75 vial(s)	23-06-2024 23:59
158654	Tc-99m oxidronaat (TechneScan HDP)	202	sm	22,34	0,95 ml	13-09-2023 12:09
158661	Tc-99m oxidronaat (TechneScan HDP)	202	sm	22,56	0,91 ml	13-09-2023 13:01
158687	Tc-99m oxidronaat (TechneScan HDP)	202	sy	137,68	0,37 ml	14-09-2023 11:57
158689	Tc-99m oxidronaat (TechneScan HDP)	202	sy	234,97	0,63 ml	14-09-2023 12:02
158700	Tc-99m oxidronaat (TechneScan HDP)	202	sy	1822,02	3,78 ml	14-09-2023 13:17
158644	Tc-99m tetrofosmine	206	sk	31,84	1,21 ml	13-09-2023 15:49
158646	Tc-99m tetrofosmine	206	sk	25,11	0,98 ml	13-09-2023 15:49
158648	Tc-99m tetrofosmine	206	sk	154,43	6,06 ml	13-09-2023 15:49
158651	Tc-99m tetrofosmine	206	sk	25,65	0,99 ml	13-09-2023 15:49
158692	Tc-99m tetrofosmine	206	AAa	170,40	0,42 ml	14-09-2023 15:58
158694	Tc-99m tetrofosmine	206	AAa	435,23	1,02 ml	14-09-2023 15:58
158696	Tc-99m tetrofosmine	206	AAa	2420,23	5,68 ml	14-09-2023 15:58
158645	Tc-99m albumine (HSA)	207	sm	15,13	0,78 ml	13-09-2023 11:56
158647	Tc-99m albumine (HSA)	207	sm	13,03	0,67 ml	13-09-2023 11:58
158649	Tc-99m albumine (HSA)	207	sm	9,18	0,48 ml	13-09-2023 12:00

ID:	Farmacon:	Nr.:	Lot nr.:	Act (MBq):	Volume:	Expireert:
158669	Tc-99m albumine (HSA)	207	SK	25,83	0,80 ml	13-09-2023 16:26
158670	Tc-99m albumine (HSA)	207	SK	16,55	0,56 ml	13-09-2023 16:29
158671	Tc-99m albumine (HSA)	207	SK	22,91	0,74 ml	13-09-2023 16:31
158672	Tc-99m albumine (HSA)	207	SK	12,88	0,41 ml	13-09-2023 16:33
158690	Tc-99m albumine (HSA)	207	sy	212,24	0,72 ml	14-09-2023 12:06
158693	Tc-99m albumine (HSA)	207	sy	157,97	0,50 ml	14-09-2023 12:08
158707	Tc-99m albumine (HSA)	207	AAa	277,34	0,53 ml	14-09-2023 16:31
158708	Tc-99m albumine (HSA)	207	AAa	137,65	0,27 ml	14-09-2023 16:34
158653	Tc-99m mertiatide (MAG3)	209	sk	14,95	6,41 ml	13-09-2023 12:08
158667	Tc-99m mertiatide (MAG3)	209	SK	24,41	6,40 ml	13-09-2023 16:21
158695	Tc-99m mertiatide (MAG3)	209	sy	211,33	5,58 ml	14-09-2023 12:12
158655	Tc-99m succimer (DMSA)	212	sk	30,57	4,84 ml	13-09-2023 10:11
158698	Tc-99m succimer (DMSA)	212	sy	550,26	4,13 ml	14-09-2023 10:49
158666	Tc-99m sestamibi	213	SK	91,63	1,69 ml	13-09-2023 18:17
158710	Tc-99m exametazime (bloedcellabeling)	216	AAa	234,03	0,79 ml	14-09-2023 14:00
158659	Tc-99m Nanocolloid ICG	227	sm	10,73	1,49 ml	13-09-2023 12:06
158676	Tc-99m Nanocolloid ICG	227	SK	8,83	1,28 ml	13-09-2023 16:37
158660	Tc-99m macrosalb (Pulmocis)	231	SK	63,61	7,13 ml	13-09-2023 12:56
158701	Tc-99m macrosalb (Pulmocis)	231	sy	874,66	5,73 ml	14-09-2023 13:31
158704	Tc-99m macrosalb (Pulmocis)	231	AAa	1583,21	7,59 ml	14-09-2023 15:58
158650	Tc-99m nanocolloid (nanoscan)	233	sm	41,08	1,28 ml	13-09-2023 12:02
158652	Tc-99m nanocolloid (nanoscan)	233	sm/icg	0,03	0,01 ml	13-09-2023 12:06
158668	Tc-99m nanocolloid (nanoscan)	233	SK	46,97	0,93 ml	13-09-2023 16:24
158697	Tc-99m nanocolloid (nanoscan)	233	AAa	301,64	0,58 ml	14-09-2023 12:25
158706	Tc-99m nanocolloid (nanoscan)	233	AAa	696,43	0,88 ml	14-09-2023 16:26
158699	Pyrofosfaat (0,385mgSn2+/1ml)	250	sy		2,00 ml	14-09-2023 13:04
158709	Pyrofosfaat (0,385mgSn2+/1ml)	250	AAa		4,00 ml	14-09-2023 16:37
158396	ICG-oplossing 25 mg	253	AAa		4,95 ml	05-09-2023 14:24
158450	ICG-oplossing 25 mg	253	AAa		4,95 ml	06-09-2023 16:51
158490	ICG-oplossing 25 mg	253	sy		4,85 ml	07-09-2023 13:10
158540	ICG-oplossing 25 mg	253	AAa		4,95 ml	08-09-2023 13:26
158657	ICG-oplossing 25 mg	253	sm		4,95 ml	13-09-2023 12:46
158675	ICG-oplossing 25 mg	253	SK		4,95 ml	13-09-2023 16:41
46660	Ba-133 vialbron	802	1551-35-2	4,22	1 refBrn(en)	01-01-2020 12:00
66542	Ba-133 vialbron	802	1896-6-6	6,64	1 refBrn(en)	01-01-2022 12:00
105831	Ba-133 vialbron	802	2059-95-2	8,01	1 refBrn(en)	01-06-2024 23:59
148625	Co-57 vialbron	804	2324-55-24	92,87	1 refBrn(en)	01-12-2024 23:59
46665	Cs-137 staafbron	805	780-16-89	0,01	1 refBrn(en)	01-01-2020 12:00
46659	Cs-137 vialbron	806	1551-38-9	5,49	1 refBrn(en)	01-01-2020 12:00
66544	Cs-137 vialbron	806	1896-7-14	6,58	1 refBrn(en)	01-01-2022 12:00
106379	Cs-137 vialbron	806	2059-90-2	6,62	1 refBrn(en)	01-06-2024 23:59
46664	Eu-152 staafbron	807	780-23-20	0,01	1 refBrn(en)	01-01-2020 12:00
46667	Sr-90 plaatbron	808	HI 304	0,01	1 refBrn(en)	01-12-2020 10:02
46661	Cs-137 plaatbron	809	UC 358	0,01	1 refBrn(en)	01-01-2020 12:00
126934	Cs-137 plaatbron	809	BB-5942	0,04	1 refBrn(en)	01-02-2030 23:59
158282	Natriumchloride 0.9% flacons 10 ml	900	23064014		274 vial(s)	31-01-2026 23:59
158283	Natriumchloride 0.9% flacons 10 ml	900	23064014		266 vial(s)	31-01-2026 23:59
158284	Natriumchloride 0.9% flacons 10 ml	900	23064014		371 vial(s)	30-01-2026 23:59
156394	CMC gel	905	20230622PA/lbA		47,00 ml	20-09-2023 10:50
153856	Steriele elutievials 11 ml voor UTK-G	917	399966		56 vial(s)	15-11-2025 23:59
157084	Steriele elutievials 11 ml voor UTK-G	917	401527		65 vial(s)	27-02-2026 23:59
157861	Steriele elutievials 11 ml voor UTK-G	917	401950		70 vial(s)	07-03-2026 23:59
158068	Steriele elutievials 11 ml voor UTK-G	917	401951		49 vial(s)	09-03-2026 23:59
155719	Natriumchloride 0.9% voor elutie 100ml	918	16SA6613		1 vial(s)	31-01-2026 23:59
156624	Natriumchloride 0.9% voor elutie 100ml	918	16SA6614		1 vial(s)	31-01-2026 23:59
156870	Natriumchloride 0.9% voor elutie 100ml	918	1156870		1 vial(s)	31-01-2026 23:59
157862	Natriumchloride 0.9% voor elutie 100ml	918	16SA6614		1 vial(s)	31-01-2026 23:59
157863	Natriumchloride 0.9% voor elutie 100ml	918	16SA6614		1 vial(s)	31-01-2026 23:59
157864	Natriumchloride 0.9% voor elutie 100ml	918	16SA6614		1 vial(s)	31-01-2026 23:59
157865	Natriumchloride 0.9% voor elutie 100ml	918	16SA6614		1 vial(s)	31-01-2026 23:59
157866	Natriumchloride 0.9% voor elutie 100ml	918	16SA6614		1 vial(s)	31-01-2026 23:59

ID:	Farmacon:	Nr.:	Lot nr.:	Act (MBq):	Volume:	Expireert:
157867	Natriumchloride 0.9% voor elutie 100ml	918	16SC7058		1 vial(s)	31-03-2026 23:59
157871	Natriumchloride 0.9% voor elutie 100ml	918	16SA6614		1 vial(s)	31-01-2026 23:59
157872	Natriumchloride 0.9% voor elutie 100ml	918	16SC7058		1 vial(s)	31-03-2026 23:59
157873	Natriumchloride 0.9% voor elutie 100ml	918	16SC7058		1 vial(s)	31-03-2026 23:59
157874	Natriumchloride 0.9% voor elutie 100ml	918	16SC7058		1 vial(s)	31-03-2026 23:59
153934	3 ml spuit	930	1153929		9 vial(s)	17-04-2024 03:49
146480	TSB DS voor aseptische test regulier	950	1135959(1)		10 vial(s)	16-09-2023 10:23
146482	TSB DS voor aseptische test regulier	950	1135959(2)		10 vial(s)	16-09-2023 10:34
146484	TSB DS voor aseptische test regulier	950	1135959(3)		10 vial(s)	16-09-2023 10:37
146485	TSB DS voor aseptische test regulier	950	1135959(4)		10 vial(s)	16-09-2023 10:38
146486	TSB DS voor aseptische test regulier	950	1135959(5)		10 vial(s)	16-09-2023 10:40
147566	TSB DS voor aseptische test regulier	950	20220900665		13 vial(s)	27-09-2023 23:59
157809	TSB kit voor aseptische test regulier	952	cd		2,00 ml	17-08-2023 19:05
158020	TSB kit voor aseptische test regulier	952	KH		2,00 ml	23-08-2023 23:39
158023	TSB kit voor aseptische test regulier	952	KH		2,00 ml	23-08-2023 23:43
158024	TSB kit voor aseptische test regulier	952	KH		2,00 ml	23-08-2023 23:47
158025	TSB kit voor aseptische test regulier	952	KH		2,00 ml	23-08-2023 23:51
158026	TSB kit voor aseptische test regulier	952	KH		2,00 ml	23-08-2023 23:54
158679	TSB kit voor aseptische test regulier	952	JC		2,00 ml	13-09-2023 20:36
158681	TSB kit voor aseptische test regulier	952	JC		2,00 ml	13-09-2023 22:19
158682	TSB kit voor aseptische test regulier	952	JC		2,00 ml	13-09-2023 22:36
158683	TSB kit voor aseptische test regulier	952	JC		2,00 ml	14-09-2023 00:18
158684	TSB kit voor aseptische test regulier	952	JC		2,00 ml	14-09-2023 00:46
151316	Steriele vials voor aseptische testen	953	SEV2082922		1 vial(s)	31-08-2026 23:59
156564	Steriele vials voor aseptische testen	953	SEV2082922		3 vial(s)	31-08-2026 23:59
158280	Steriele vials voor aseptische testen	953	0004514739		195 vial(s)	31-05-2027 23:59
121413	Apolevering regulier	10100	18sep2020		80795 stk(s)	18-09-2030 13:58
126938	Apolevering spoed	10101			99956 stk(s)	28-02-2023 23:59
111903	Apolevering za/zo/feest	10102			99998 stk(s)	18-09-2030 23:59
120356	Apolevering F-18 PSMA	10108			10000 stk(s)	25-07-2120 10:15